

KEG CARBONATION CHART

Pressure Required For Desired Carbonation

<i>Temp.</i>	<i>Volumes of CO2 desired</i>										
	2.0	2.1	2.2	2.3	2.4	2.5	2.6	2.7	2.8	2.9	3.0
32F	3.5	4.4	5.4	6.3	7.3	8.2	9.2	10.1	11.0	12.0	12.9
34F	4.3	5.3	6.3	7.3	8.2	9.2	10.2	11.2	12.1	13.1	14.1
36F	5.1	6.2	7.2	8.2	9.2	10.2	11.2	12.3	13.3	14.3	15.3
38F	6.0	7.0	8.1	9.1	10.2	11.2	12.3	13.3	14.4	15.4	16.5
40F	6.8	7.9	9.0	10.1	11.2	12.3	13.4	14.4	15.5	16.6	17.7
42F	7.7	8.8	10.0	11.1	12.2	13.3	14.4	15.5	16.7	17.8	18.9
44F	8.6	9.7	10.9	12.1	13.2	14.4	15.5	16.7	17.8	19.0	20.1
46F	9.5	10.7	11.8	13.0	14.2	15.4	16.6	17.8	19.0	20.2	21.3
48F	10.4	11.6	12.8	14.0	15.3	16.5	17.7	18.9	20.1	21.4	22.6
50F	11.3	12.5	13.8	15.0	16.3	17.6	18.8	20.1	21.3	22.6	23.8
52F	12.2	13.5	14.8	16.1	17.3	18.6	19.9	21.2	22.5	23.8	25.1
54F	13.1	14.4	15.7	17.1	18.4	19.7	21.1	22.4	23.7	25.0	26.3
56F	14.0	15.4	16.7	18.1	19.5	20.8	22.2	23.6	24.9	26.3	27.6
58F	15.0	16.4	17.8	19.2	20.6	21.9	23.3	24.7	26.1	27.5	28.9
60F	15.9	17.3	18.8	20.2	21.6	23.1	24.5	25.9	27.4	28.8	30.2
62F	16.9	18.3	19.8	21.3	22.7	24.2	25.7	27.1	28.6	30.0	31.5
64F	17.8	19.3	20.8	22.3	23.8	25.3	26.8	28.3	29.8	31.3	32.8
66F	18.8	20.3	21.9	23.4	25.0	26.5	28.0	29.6	31.1	32.6	34.1
68F	19.8	21.4	22.9	24.5	26.1	27.6	29.2	30.8	32.4	33.9	35.5
70F	20.8	22.4	24.0	25.6	27.2	28.8	30.4	32.0	33.6	35.2	36.8
72F	21.8	23.4	25.1	26.7	28.4	30.0	31.6	33.3	34.9	36.5	38.2
74F	22.8	24.5	26.2	27.8	29.5	31.2	32.9	34.5	36.2	37.9	39.5
76F	23.8	25.5	27.2	29.0	30.7	32.4	34.1	35.8	37.5	39.2	40.9
78F	24.9	26.6	28.4	30.1	31.8	33.6	35.3	37.1	38.8	40.5	42.3
80F	25.9	27.7	29.5	31.2	33.0	34.8	36.6	38.3	40.1	41.9	43.7